## Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application.

Claims 1-29 (Cancelled).

- 30. (Previously presented) A pharmaceutical composition comprising polyclonal  $F(ab')_2$  antibody fragments free from albumin and whole antibodies and substantially free of pyrogens, wherein the  $F(ab')_2$  binds to a purified molecule.
- 31. (Previously presented) The pharmaceutical composition of claim 30, wherein the purified molecule is a cytokine.
- 32. (Previously presented) The pharmaceutical composition of claim 31, wherein said cytokine is TNF- $\alpha$ .
- 33. (Previously presented) The pharmaceutical composition of claim 32, wherein said  $F(ab')_2$  neutralizes said TNF- $\alpha$ .
- 34. (Previously presented) A pharmaceutical composition comprising polyclonal anti-TNF- $\alpha$  F(ab')<sub>2</sub> antibody fragments free from albumin and whole antibodies and substantially free of pyrogens.
- 35. (Previously presented) A composition comprising the composition of any of claims 30 to 34, further comprising a pharmaceutically acceptable carrier.

- 36. (Previously presented) A pharmaceutical composition comprising polyclonal  $F(ab')_2$  antibody fragments free from albumin and whole antibodies and substantially free of pyrogens, wherein the  $F(ab')_2$  antibody fragments are obtained by the method which comprises:
- (a) contacting a source of antibody with pepsin under conditions to prepare an antibody digest containing F(ab')<sub>2</sub> fragments and being substantially free of unhydrolyzed antibodies;
- (b) treating said antibody digest by two steps of ammonium sulfate precipitation,i) one step at about 16% to about 22% weight by volume ammonium sulfate; andii) another step at about 32% to about 38% weight by volume of ammonium sulfate.
- 37. (Previously presented) A method of treating a cytokine-mediated immune reaction a patient in need thereof, which comprises parenterally administering to said patient a therapeutically effective amount of the pharmaceutical composition any of claims 30 to 34.
- 38. (Previously presented) The method of claim 37 wherein said parenteral administration comprises systemic administration.
- 39. (Previously presented) The method of claim 38, wherein said systemic administration comprises intravenous administration.
- 40. (Previously presented) The method of claim 38, wherein said systemic administration comprises intramuscular administration.

- 41. (Previously presented) The method of claim 37, wherein said parenteral administration comprises intraperitoneal administration.
- 42. (Previously presented) The method of claim 37, wherein said patient is a human who has been exposed to the venom of a poisonous animal.
- 43. (Previously presented) The method of claim 37, wherein said parenteral administration is repeated at least once.